


InfoCase User Harness Kit User Guide



Introduction

The InfoCase User Harness Kit is designed and intended for hands-free use for any device with 4 retention slots.

Features



- 1. O Rings
- 2. Webbing Glides
- 3. Nylon Webbing Straps
- 4. Back Pad

- 5. Front Straps (shorter)
- 6. Rear Straps (longer)
- 7. Quick Release Clips

Installation

The nylon webbing straps (3) are installed into the four slots that are built into the device. The four straps are inserted from the top of the device as shown. Please ensure the front faces of the Webbing Glides(3) are facing up during installation as shown in the Feature list above. Slots may vary based on your device.



1

Once the nylon webbing strap (3) is fully inserted through the device slot, it needs to be looped through the bottom of the webbing glide (2) as shown. To finish installing, loop the strap back through the top of the glide and pull tight.





Once all four straps are installed, connect the quick release clips (7) to the O-rings (1).



To ensure the correct installation, the back pad (4) should be in a portrait orientation, as shown to the right. The front straps (5) will be installed at the top of the device, with the rear straps (6) on the bottom of the device.





Tips for Use

• The length of the front or rear straps (5,6) is adjustable via a webbing glide located near the end of the strap.



 The webbing glides (2) should be tightened down as much as possible to ensure a tight connection.

Warranty

InfoCase products are dynamic, consistently improved and reinvented to bring you the best products on the market. We use only the highest quality materials to meet your mobile technology demands.

InfoCase offers a 1 year warranty on defects and workmanship on this Toughmate product. Please visit: http://www.InfoCase.com/warranty or call 1-800-248-4844 to obtain more information on the InfoCase warranty.

© 2022 4